

Hall A1



Dimensions

- Area 9,937 sqm
- Length 137 m; width 78 m
- Clear ceiling height 17 m

Technical Data

- Floor weight loading: 5,000 kg/sqm
- Max. no. of persons* 7,200
- Hall doorway dimensions (7 doors):
5,9 x 5,9 m – 9,9 x 10 m
- Ground level

Facilities

- 4 meeting rooms on 1st floor,
some with view into hall
- Coffee bar “Cafetiero” in hall for max.
60 persons
- Daylight; can be completely or
partially shaded on request
- Sanitary facilities in hall
- Direct access to Central Entrance
Upper Floor
- Central multi-storey car park
(Lagerstraße) has 900 spaces for cars
(parking charge payable)

* Depending on individual space allocation, escape route situation and type of event

Hall A4



Dimensions

- Area 8,347 sqm
- Length 118 m; width 79 m
- Clear ceiling height 9,7 - 17 m

Technical Data



- Floor weight loading: 5,000 kg/sqm
- Max. no. of persons* 6,600
- Hall doorway dimensions (7 doors):
5,9 x 5,9 m – 9,9 x 10 m
- Ground level

Facilities

- 3 meeting rooms on 1st floor, some with view into hall
- Snack bar “Pick Up” in hall for max. 60 persons
- Daylight; can be completely or partially shaded on request
- Sanitary facilities in the hall
- Direct access to conference area A and Central Entrance
- Central multi-storey car park (Lagerstraße) has 900 spaces for cars (parking charge payable)

* Depending on individual space allocation, escape route situation and type of event

Hall B1 ground floor



Dimensions

- Area 3,517 sqm
- Length 54 m; width 44 m
- Clear ceiling height 5,5 m in addition to building, 5,9 m in the rest of the hall. Restrictions because of smoke barriers, max. design height in this area: 2,5 m

Technical Data

- Floor weight loading : 2,000 kg/sqm
- Max. no. of persons * 3,800
- two-storey
- Ceiling partially open to Hall B1 Upper Floor
- Hall doorway dimensions (2 doors): 5,2 x 5,9 m – 11,2 x 5,9 m


Facilities

- Sanitary facilities in the hall
- 3 freight lifts, max. load 6,000 kg
- Glass front Karolinenstraße, can be partially shaded via blinds
- Glass Elevator connects ground floor with upper floor

[Virtual tour](#)

* Depending on individual space allocation, escape route situation and type of event

Hall B1 upper floor



Dimensions

- Area 2,892 sqm
- Length 54 m; width 44 m
- Clear ceiling height 5,9 m

Technical Data

- Floor weight loading : 750 kg/sqm
- Max. no. of persons * 2,000
- two-storey

Facilities

- Connected with A-Halls and Central Entrance by the „Skywalk“
- Snack bar “PickUp” in hall for max. 15 persons
- Sanitary facilities in hall
- 3 freight lifts, max. load 6,000 kg
dimensions H 2,5 m x W 2,5 m x D 5,5 m
- Glass front Karolinenstraße, can be partially shaded via blinds
- Glass Elevator connects upper floor with ground floor

* Depending on individual space allocation, escape route situation and type of event

[Virtual tour](#)

Hall B2 ground floor



Dimensions

- Area 4,126 sqm
- Length 99 m; width 32 m
- Clear ceiling height 5,8 – 13,5 m

Technical Data

- Floor weight loading : 2,000 kg/sqm
- Max. no. of persons * 3,600
- two-storey
- Ceiling partially open to upper floor
- Hall doorway dimensions (3 doors):
5,2 x 5,9 m – 11,2 x 5,9 m



Facilities

- Snack bar “PickUp” in hall for max. 15 persons
- Sanitary facilities in hall
- 2 freight lifts, max. load 6,000 kg
- Glass cupola in the center; no hanging points available

* Depending on individual space allocation, escape route situation and type of event

[Virtual tour](#)

Hall B7



Dimensions

- Area 7,760 sqm
- Length 76 - 105 m; width 75 m
- Clear ceiling height 11,2 m

Technical Data

- Floor weight loading : 5,000 kg/sqm
- Max. no. of persons * 9,200
- Hall doorway dimensions (7 doors):
5,9 x 5,9 m – 9,9 x 10 m
- Ground level

Facilities

- One meeting room on 1st floor, with view into hall
- Snackbar „Pick Up“ in hall for max. 60 persons
- Daylight; can be completely or partly shaded on request
- Sanitary facilities in hall
- Glass front to Karolinenstraße, can be partially shaded via blinds

* Depending on individual space allocation, escape route situation and type of event

[Virtual tour](#)

Central Entrance ground floor



Dimensions

- Area 2,432 sqm

Technical Data


- Entrance area only
- Display signs on demand

Facilities

- Access to Halls A1 & A4
- Access to Conference Area A via elevators
- Access to Press Club via elevators
- One information counter and press counter each
- Counter for cash registers und registration
- wardrobe with 1,630 hooks available
- 120 lockers
- ATM available
- direct taxi and bus lanes on the forecourt

[Virtual tour](#)

Central Entrance upper floor




Dimensions

- Area 1,619 sqm

Facilities

- Access to Halls A1 & A4
- Access to Conference Area A via elevators
- Access to Hall B1 Upper floor through the „Skywalk“
- Access to Press Club via elevators
- 3 offices for project management and 2 meeting rooms
- Restaurant „Harbour Light“ for max. 220 persons

[Virtual tour](#)



FUSSBODEN:
STAHLBETONDECKE +
ESTRICH-AUFBAU
BELASTUNG = 5000 KG/m² = 50 KN/m²

LICHTE HÖHE IN HALLE A1 EG
UNTER UNTERZUG = 17,20 m
UNTER DECKE = max. 23,10 m
UNTER EINBAUTEN = 17,20 m

FLOOR:
REINFORCED CONCRETE CEILING
WITH SCREED FINISH
LOAD BEARING CAPACITY = 5000 KG/m² = 50 KN/m²

INTERIOR HEIGHT OF BUILDING NO. A1 GF
UNDERSIDE OF BEARER = 17,20 m
UNDERSIDE OF CEILING = max. 23,10 m
UNDERSIDE OF INSTALLATION = 17,20 m

- LEGENDE:**
- HALENSTÜTZE
BUILDING SUPPORT
 - FEUERMELDER
FIRE ALARM
 - FEUERLÖSCHER-SCHLAUCH
FIRE EXTINGUISHER-HOSE
 - ELEKTROANSCHLUSS / WASSER ZU- UND ABLAUF
POWER CONNECTION / WATER CONNECTION
 - ELEKTROVERTEILERKASTEN
POWER JUNCTION BOX
 - ABHÄNGEPUNKT
SUSPENSION POINT
 - Access point
 - SCHRAFFIERTE FLÄCHEN NICHT BEBAUAR SICHERHEITSSZONE!
CONSTRUCTION ON HATCHED AREAS NOT POSSIBLE
 - SCHRAFFIERTE FLÄCHEN BEBAUAR JEDOCH MIT EINSCHRÄNKUNGEN!
CONSTRUCTION ON HATCHED AREAS POSSIBLE, BUT SUBJECT TO RESTRICTIONS
GENEHMIGUNG DURCH HMC/T-MA ERFORDERLICH
APPROVAL BY HMC/T-MA NECESSARILY
 - INFORMATIONSWAND
INFORMATION BOARD
 - TELEFONVERTEILERKASTEN
TELEPHONE JUNCTION BOX
 - DS
DRUCKLUFT
COMPRESSED AIR
 - REV
REVISIONSSCHACHT
INSPECTION CHAMBER

**Hamburg
Messe + Congress**

Halle A1 EG /
hall A1 GF

Veranstaltung:

Bestuhlung:

Veranstaltungsdatum:

Gesamt:

Diese Zeichnung ist unser Eigentum und darf ohne unsere Genehmigung weder vervielfältigt noch
dritten Personen mitgeteilt oder zugänglich gemacht werden. (§1 des Urhebergesetzes)
Hamburg Messe und Congress GmbH, Messeplatz 1, 20357 Hamburg, Tel.: 040 / 35 69 - 0


Blattgröße:

Plandatum:
10.08.2021

Planverfasser:
Suthmann, Karen-Marie

Pfad:

Datename: HA1_EG



FUSSBODEN:
STAHLBETONDECKE +
ESTRICH-AUFBAU
BELASTUNG = 5000 KG/m² = 50 KN/m²

LICHTE HÖHE IN HALLE A4 EG
UNTER UNTERZUG = 16,90 m
UNTER DECKE = max. 23,10 m
UNTER EINBAUTEN = 17,20 m


FLOOR:
REINFORCED CONCRETE CEILING
WITH SCREED FINISH
LOAD BEARING CAPACITY = 5000 KG/m² = 50 KN/m²

INTERIOR HEIGHT OF BUILDING NO. A4 GF
UNDERSIDE OF BEARER = 16,90 m
UNDERSIDE OF CEILING = max. 23,10 m
UNDERSIDE OF INSTALLATION = 17,20 m

- LEGENDE:**
- ■ HALLENTÖTZE
BUILDING SUPPORT
 - FEUERWELDER
FIRE ALARM
 - FEUERLÖSCHER-SCHLAUCH
FIRE EXTINGUISHER-HOSE
 - ○ ELEKTROANSCHLUSS / WASSER ZU- UND ABFLUSS
POWER CONNECTION / WATER CONNECTION
 - ○ ELEKTROVERTEILERKASTEN
POWER JUNCTION BOX
 - ○ ABHÄNGEPUNKT
SUSPENSION POINT
 - ○ Access point
 - SCHRAFFIERTE FLÄCHEN NICHT BEBAUBAR SICHERSHEITSSONNE
CONSTRUCTION ON HATCHED AREAS POSSIBLE BUT SUBJECT TO
RESTRICTIONS
GEMEINDEGEBÜHRE DURCH HINGEMITTELT
APPROVAL BY HINGEMITTELT
 - INFORMATIONSWAND
INFORMATION BOARD
 - T TELEFONVERTEILERKASTEN
TELEPHONE JUNCTION BOX
 - DS DRUCKLUFT
COMPRESSED AIR
 - REV REVISIONSSCHACHT
INSPECTION CHAMBER



Halle A4 EG / hall A4 GF	Veranstaltung:	Bestellung:
	Veranstaltungsdatum:	Gesamt:
Diese Zeichnung ist unser Eigentum und darf ohne unsere Genehmigung weder ververvieltigt noch dritten Personen mitgeteilt oder zugänglich gemacht werden. (§1 des Urhebergesetzes) Hamburg Messe und Congress GmbH, Messeplatz 1, 20357 Hamburg, Tel.: 040 / 35 69 - 0		
Plandatum: 15.11.2022	Planverfasser: Suthmann, Karen-Marie	
Pfad: F:\Dokumente\2_Übergreifende Themen\2.1_Pläne\2.1.1_CAD_HM\Halle A4.dwg-Dateien		Dateiname: HA4_EG



FUSSBODEN:
STAHLBETONDECKE +
ESTRICH-AUFBAU
BELASTUNG = 5000 KG/m² = 5 KN/m²

LICHTE HÖHE IN HALLE B7 EG

UNTER UNTERZUG = 11,00 m
UNTER DECKE = max. 17,20 m
UNTER EINBAUTEN = 11,20 m


FLOOR:
REINFORCED CONCRETE CEILING
WITH SCREED FINISH
LOAD BEARING CAPACITY = 5000 KG/m² = 5 KN/m²

INTERIOR HEIGHT OF BUILDING NO. B7 GF

UNDERSIDE OF BEARER = 11,00 m
UNDERSIDE OF CEILING = max. 17,20 m
UNDERSIDE OF INSTALLATION = 11,20 m

- LEGENDE:
- ■ HALLENSTÜTZE
BUILDING SUPPORT
 - FEUERMELDER
FIRE ALARM
 - FEUERLÖSCHER-/SCHLAUCH
FIRE EXTINGUISHER-/HOSE
 - ▽ || □ ELEKTROANSCHLUSS / WASSER ZU- UND ABLAUF
POWER CONNECTION / WATER CONNECTION
 - ELEKTROVERTEILERKASTEN
POWER JUNCTION BOX
 - ⊗ ⊗ ABHÄNGEPUNKT
SUSPENSION POINT
 - SCHRAFFIERTE FLÄCHEN NICHT BEBAUBAR SICHERHEITSSZONE!
CONSTRUCTION ON HATCHED AREAS NOT POSSIBLE
 - SCHRAFFIERTE FLÄCHEN BEBAUBAR JEDOCH MIT EINSCHRÄNKUNGEN!
CONSTRUCTION ON HATCHED AREAS POSSIBLE, BUT SUBJECT TO RESTRICTIONS
 - INFORMATIONSWAND
INFORMATION BOARD
 - T TELEFONVERTEILERKASTEN
TELEPHONE JUNCTION BOX
 - DS DRUCKLUFT
COMPRESSED AIR
 - REV REVISIONSSCHACHT
INSPECTION CHAMBER

 Hamburg Messe + Congress			
Halle B7 EG / hall B7 GF	Veranstaltung:	Bestuhlung:	
	Veranstaltungsdatum:	Gesamt:	
Diese Zeichnung ist unser Eigentum und darf ohne unsere Genehmigung weder vervielfältigt noch dritten Personen mitgeteilt oder zugänglich gemacht werden. (§1 des Urhebergesetzes) Hamburg Messe und Congress GmbH, Messeplatz 1, 20357 Hamburg, Tel.: 040 / 35 69 - 0			
Planverfasser:	Blattgröße: DIN A4	Datum: 10.06.2020	Erstellt: —
Pfad: F:\Dokumente\2_Übergreifende Themen\2.1_Pläne\2.1.1_CAD_HM\Halle B7\dwg-Dateien			Dateiname: HB7_EG



**Hamburg
Messe + Congress**

Eingang Mitte EG/ entrance central GF		Veranstaltung:	Bestellung:
Veranstaltungsdatum:		Gesamt:	
Diese Zeichnung ist unser Eigentum und darf ohne unsere Genehmigung weder vervielfältigt noch offten Personen mitgeteilt oder zugänglich gemacht werden. (§1 des Urhebergesetzes) Hamburg Messe und Congress GmbH, Messeplatz 1, 20357 Hamburg, Tel.: 040 / 35 69 - 0			
Blattgröße:	DIN A3 / M. 1:200	Pandatum: 18.07.2022	Planverfasser: Suthmann, Karen-Marie
Pract:	Dateiname: EM_EG		




**Hamburg
Messe + Congress**

Conference and meeting rooms for all kinds of occasions

Guest Events




Seating options




Boardroom style



Classroom style




Theatre style




U-Shape style



Our halls



Press accreditation counter




Infocounter & Press cases in front of the Press club:

- 424 Press cases
- 168 Press cases at the wall
- 256 cubes
- Independent booking is possible



Project management offices

Central Entrance UF





Capacity of chairs

	Size	Theatre Style	Classroom Style	Boardroom Style	U-Shape Style
Project Management Office 1	28 sqm	-	-	4	-
Project Management Office 2	14 sqm	-	-	4	-
Project Management Office 3	14 sqm	-	-	4	-



Meeting room and Business Center Central Entrance UF




Capacity of chairs

	Size	Theatre Style	Classroom Style	Boardroom Style	U-Shape Style
Meeting Room	26 sqm	-	-	16	-
Business Center	26 sqm	-	-	18	-



Conference area A



Foyers at the Conference area A



- Sanitary facilities are located in the 2. upper floor for all conference rooms
- Coat hooks can be individually folded out on the 2nd upper floor




Galerie

Conference area A – 3. UF





Conference room Hall A4 – 3. UF





Conference room hall A4 – 3. UF Chicago




Capacity of chairs

Chicago	Theatre Style	Classroom Style	Boardroom Style	U-Shape Style
900 sqm	780	360	124	104



Conference rooms

Hall A4 – 2. UF





Conference room hall A4 – 2. UF Osaka



Capacity of chairs

Osaka	Theatre Style	Classroom Style	Boardroom Style	U-Shape Style
123 sqm	120	60	40	32



Conference room hall A4 – 2. UF Osaka 1-3



Capacity of chairs

Osaka	Size	Theatre Style	Classroom Style	Boardroom Style	U-Shape Style
Osaka 1	41 sqm	42	16	20	-
Osaka 2	39 sqm	42	16	20	-
Osaka 3	40 sqm	42	16	20	-



Conference room hall A4 – 2. UF Shanghai



Capacity of chairs

Shanghai	Theatre Style	Classroom Style	Boardroom Style	U-Shape Style
135 sqm	119	58	40	32



Conference room hall A4 – 2. UF Shanghai 1-3

Shanghai 1



Shanghai 2



Shanghai 3



Capacity of chairs

Shanghai	Size	Theatre Style	Classroom Style	Boardroom Style	U-Shape Style
Shanghai 1	31 sqm	24	8	12	-
Shanghai 2	33 sqm	36	12	16	-
Shanghai 3	36 sqm	36	12	16	-



Conference room hall A4 – 2. UF St. Petersburg



Capacity of chairs

St. Petersburg	Theatre Style	Classroom Style	Boardroom Style	U-Shape Style
132 sqm	116	58	40	32



Conference room hall A4 – 2. UF

St. Petersburg 1-3



Capacity of chairs

St. Petersburg	Size	Theatre Style	Classroom Style	Boardroom Style	U-Shape Style
St. Petersburg 1	31 sqm	24	8	12	-
St. Petersburg 2	33 sqm	36	12	16	-
St. Petersburg 3	33 sqm	30	12	16	-



Conference room or journalist work space hall A4 – 2.UF Prag



Capacity of chairs

Prag	Theatre Style	Classroom Style	Boardroom Style	U-Shape Style
113 sqm	84	48	32	24



Press Club next to hall A4

2. UF



Capacity of chairs

Press Club	Theatre Style	Classroom Style	Boardroom Style	U-Shape Style
230 sqm	-	-	-	-

Press Club next to hall A4

2. UF



Equipment:

- cloakroom
- shelves for press information
- entrance counter in front of the room
- exclusive catering by our catering partner Käfer Service Hamburg GmbH
- fully equipped kitchen incl. dishwasher and dishes
- bar / counter



Meeting rooms A-Halls





Meeting rooms

Hall A1





Meeting room A1.1



Capacity of chairs

A1.1	Theatre Style	Classroom Style	Boardroom Style	U-Shape Style
26 sqm	24	8	14	10



Meeting room A1.2



Capacity of chairs

A1.2	Theatre Style	Classroom Style	Boardroom Style	U-Shape Style
15 sqm	-	-	6	-



Meeting room A1.3



Capacity of chairs

A1.3	Theatre Style	Classroom Style	Boardroom Style	U-Shape Style
30 sqm	28	12	16	12



Meeting room A1.4



Capacity of chairs

A1.4	Theatre Style	Classroom Style	Boardroom Style	U-Shape Style
30 sqm	28	12	16	12

Admiral's Club

1. UF in hall A1




Use this room with view into hall A1 as an organizer for your VIP's and customer meetings in a private atmosphere.

- Capacity for up to 16 people seated (table) or lounge seating
- Catering only by Käfer Service Hamburg GmbH
- Separate rooms of sanitary facilities



Admiral's Club

1. UF in hall A1




Capacity of chairs

Admiral's Club	Theatre Style	Classroom Style	Boardroom Style	U-Shape Style
100 sqm	-	-	16	-



Meeting rooms

Hall A2





Meeting rooms

Hall A4 – part 1





Meeting room A4.1



Capacity of chairs

A4.1	Theatre Style	Classroom Style	Boardroom Style	U-Shape Style
33 sqm	29	-	16	-



Meeting room A4.2



Capacity of chairs

A4.2	Theatre Style	Classroom Style	Boardroom Style	U-Shape Style
75 sqm	84	26	26	24



Meeting room

Hall A4 – part 2





Meeting room A4.3




Capacity of chairs

A4.3	Theatre Style	Classroom Style	Boardroom Style	U-Shape Style
85 sqm	78	34	24	20



Meeting room B7.1





Meeting room B7.1



Capacity of chairs

B7.1	Theatre Style	Classroom Style	Boardroom Style	U-Shape Style
100 sqm	98	40	32	24



Meeting rooms A-halls

	Size	Theatre Style	Classroom Style	Boardroom Style	U-Shape Style
--	------	------------------	--------------------	--------------------	------------------

Hall A1

A1.1	26 sqm	24	8	14	10
A1.2	15 sqm	-	-	6	-
A1.3	30 sqm	28	12	16	12
A1.4	30 sqm	28	12	16	12
Admiral's Club	100 sqm	-	-	-	-

Hall A4

A4.1	33 sqm	29	-	16	-
A4.2	75 sqm	84	26	26	24
A4.3	85 sqm	78	34	24	20

The following ancillary services are included: configuration of the seating once before the show (e.g. classroom, theatre, u-shape or boardroom style); Cleaning of the floors before the show and daily cleaning of the floors from the second show day on; Heating, cooling and aeration of the rooms and the power supply for general lighting of the rooms with their permanently installed lighting facilities.



Conference rooms A-Ground

	Size	Theatre Style	Classroom Style	Boardroom Style	U-Shape Style
Chicago	900 sqm	780	320	124	104
Osaka	123 sqm	120	60	40	32
Osaka 1	41 sqm	42	16	20	-
Osaka 2	39 sqm	42	16	20	-
Osaka 3	40 sqm	42	16	20	-
Shanghai	135 sqm	119	58	40	32
Shanghai 1	31 sqm	24	8	12	-
Shanghai 2	33 sqm	36	12	16	-
Shanghai 3	36 sqm	36	12	16	-
St. Petersburg	132 sqm	116	58	40	32
St. Petersburg 1	31 sqm	24	8	12	-
St. Petersburg 2	33 sqm	36	12	16	-
St. Petersburg 3	33 sqm	30	12	16	-
Prag					
Journalist work space	113 sqm	84	48	32	24

The following ancillary services are included: configuration of the seating once before the show (e.g. classroom, theatre, u-shape or boardroom style); Cleaning of the floors before the show and daily cleaning of the floors from the second show day on; Heating, cooling and aeration of the rooms and the power supply for general lighting of the rooms with their permanently installed lighting facilities.



Meeting rooms

Central Entrance UF

	Size	Theatre Style	Classroom Style	Boardroom Style	U-Shape Style
Project Management Office 1	28 sqm	-	-	4	-
Project Management Office 2	14 sqm	-	-	4	-
Project Management Office 3	14 sqm	-	-	4	-
Conference Room	26 sqm	-	-	16	-
Business Center	26 sqm	-	-	18	-
Press Club	230 sqm	-	-	-	-

The following ancillary services are included: configuration of the seating once before the show (e.g. classroom, theatre, u-shape or boardroom style); Cleaning of the floors before the show and daily cleaning of the floors from the second show day on; Heating, cooling and aeration of the rooms and the power supply for general lighting of the rooms with their permanently installed lighting facilities.



Meeting rooms B-halls

	Size	Theatre Style	Classroom Style	Boardroom Style	U-Shape Style
Hall B7					
B7.1	100 sqm	98	40	32	24

The following ancillary services are included: configuration of the seating once before the show (e.g. classroom, theatre, u-shape or boardroom style); Cleaning of the floors before the show and daily cleaning of the floors from the second show day on; Heating, cooling and aeration of the rooms and the power supply for general lighting of the rooms with their permanently installed lighting facilities.